



Date: Friday, 26/01/2007 10:12:42 AM
User: Linda Lacelle

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: WEARPLATE
Job Number	: 30469		
Estimate Number	: 10601		
P.O. Number	: N/A	Part Number	: D25777
This Issue	: 26/01/2007 S.O. No. : N/A	Drawing Number	: D2577 REV E
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: N/A Type : SMALL / MED FAB	Drawing Revision	: E
Previous Run	: 30469	Material	: NA
Written By	: 	Due Date	: 15/02/2007
Checked & Approved By	: 	Qty:	15 Um: Each
Comment	: Est: F 02.09.24 Re-format KJ Est Rev:G Now On Waterjet 07-01-26 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M1010S16GA	1010/1025/A21/6aA SHEET
-----	------------	-------------------------



Comment: Qty.: 1.0143 sf(s)/Unit Total: 15.2145 sf(s)
1010/1025/A21/6aA SHEET
Batch: M104056 ml 07 04 23

(15)

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET
1-Cut as per Dwg D2577
Dwg Rev: E ml 07 04 23
Prog Rev: E
2-Deburr if necessary

(15)

ml 07/04/25 (15)

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

(15)

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

204.24 (15) counted

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1
Deburr if necessary

ml 07/05/09 (15)

ml

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Appr' QC Ins

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: Q Date: 07/05/14
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 26/01/2007 10:12:43 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARPLATE

Job Number: 30469

Part Number: D25777

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

BRAKE NC

NC BRAKE



Comment: NC BRAKE

1-Form on brake using DT8155 and DT8179 as per Dwg D2577

2-Identify as D2577-7

3-Form joggle as per Dwg D2577 using DT8157.

SB 07/05/09 (15)

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

07/05/10 (15)

8.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

M 101601

M-L 07/05/11 (15X)

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

07/05/11 (15)

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

FP-16

M-L 07/05/11 (15X)

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/05/14 (15)

Job Completion



U 07.05.14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Customer : CU-DAR001 Dart Helicopters Services
Job Number : 30469
Estimate Number : 10601
P.O. Number :
This Issue : 1/25/2007 S.O. No. :
Prsht Rev. : NC
First Issue : // Type : PURCHASED PARTS
Previous Run :
Written By :
Checked & Approved By :
Comment : Est: F 02.09.24 Re-format KJ

Drawing Name : WEARPLATE

Part Number : D25777

Drawing Number : D2577 REV E

Project Number : N/A

Drawing Revision : E

Material :

Due Date :

Qty: Um:

Job Number:



Seq. #:	Machine Or Operation:	Description :
1	1000	1000
2	1000	1000
3	1000	1000
4	1000	1000
5	1000	1000
6	1000	1000
7	1000	1000
8	1000	1000
9	1000	1000
10	1000	1000
11	1000	1000
12	1000	1000
13	1000	1000
14	1000	1000
15	1000	1000
16	1000	1000
17	1000	1000
18	1000	1000
19	1000	1000
20	1000	1000
21	1000	1000
22	1000	1000
23	1000	1000
24	1000	1000
25	1000	1000
26	1000	1000
27	1000	1000
28	1000	1000
29	1000	1000
30	1000	1000
31	1000	1000
32	1000	1000
33	1000	1000
34	1000	1000
35	1000	1000
36	1000	1000
37	1000	1000
38	1000	1000
39	1000	1000
40	1000	1000
41	1000	1000
42	1000	1000
43	1000	1000
44	1000	1000
45	1000	1000
46	1000	1000
47	1000	1000
48	1000	1000
49	1000	1000
50	1000	1000
51	1000	1000
52	1000	1000
53	1000	1000
54	1000	1000
55	1000	1000
56	1000	1000
57	1000	1000
58	1000	1000
59	1000	1000
60	1000	1000
61	1000	1000
62	1000	1000
63	1000	1000
64	1000	1000
65	1000	1000
66	1000	1000
67	1000	1000
68	1000	1000
69	1000	1000
70	1000	1000
71	1000	1000
72	1000	1000
73	1000	1000
74	1000	1000
75	1000	1000
76	1000	1000
77	1000	1000
78	1000	1000
79	1000	1000
80	1000	1000
81	1000	1000
82	1000	1000
83	1000	1000
84	1000	1000
85	1000	1000
86	1000	1000
87	1000	1000
88	1000	1000
89	1000	1000
90	1000	1000
91	1000	1000
92	1000	1000
93	1000	1000
94	1000	1000
95	1000	1000
96	1000	1000
97	1000	1000
98	1000	1000
99	1000	1000
100	1000	1000

1.0 PG PURCHASING



Issue P/O: _____

Email or Ship DXF file to vendor

Laser Cut per Dwg D2577 flat pattern D2577-7

Material release note required

2.0	D25777F	Wearplate
-----	---------	-----------



Comment: Qty.: 1.0000 U(s)/Unit Total: 15.0000 U(s)
Wearplate

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material release note is attached

4.0 QC6 DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Inspect dimensions per template D2577-7T1

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 1/25/2007 11:08:22 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARPLATE

Job Number: 30469

Part Number: D25777

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

BRAKE NC

NC BRAKE



Comment: NC BRAKE

1-Form on brake using DT8155 and DT8179 as per Dwg D2577

2-Identify as D2577-7

3-Form joggle as per Dwg D2577 using DT8157.

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

8.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



RELEASED
00.09.26


DESIGN	DRAWN BY	DART AEROSPACE LTD
00.09.22	CP	HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.
00.09.22	00.09.22	D2577
DATE	TITLE	WEARSHOE
00.09.22	SCALE	1:10
A	96.09.16	NEW ISSUE
B	96.12.04	ADD HARDCOAT WELDS
C	97.05.30	CHANGE HOLES TO OBROUNDS
D	98.08.17	CORRECTED DIMENSIONS ON -1 & -3
E	00.09.22	ADD D2577-101/-11/-13 INCORPORATE DE09176

7560 HARDCOAT WELD
4.0 LONG
0.063 TO 0.125 HIGH
(TYP. 11 PLS.)
WELD AFTER BENDING AS
ILLUSTRATED PER DT8308




D2577-1 & D2577-3 WEARSHOE
MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY
FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 30469
D2941-300
SHWAYDER WEAPADS
(8 PLACES)



SECTION A-A
SCALE 1:5




D2577-21 & D2577-23 WEARSHOE
MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY
FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



DESIGN	DRAWN BY	DRAWING NO.	REV. E
<i>[Signature]</i>	<i>[Signature]</i>	D2577	SHEET 2 OF 5
DATE	TITLE	SCALE	
00.09.22	WEARSHOE	1:10	

RELEASED
00.09.26 #




D2577-101 FLAT PATTERN

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570
SERIES STEEL 0.063 THICK

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



D2577-11 & D2577-13 LONGITUDINAL BEND

MAKE FROM D2577-101


TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30467




DESIGN	DRAWN BY	DART AEROSPACE LTD
CHECKED <i>[initials]</i>	APPROVED <i>[initials]</i>	HAWKESBURY, ONTARIO, CANADA
DATE 00.09.22	DRAWING NO. D2577	REV. E
	TITLE WEARSHOE	SHEET 3 OF 5
		SCALE 1:10

D2577-5 FLAT PATTERN



D2577-5 LONGITUDINAL BEND



D2577-5 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

RELEASED
00.09.26


DART




DESIGN	DRAWN BY	DART AEROSPACE LTD HAMKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO. D2577
DATE 00.09.22		TITLE WEARSHOE
		REV. E SHEET 4 OF 5 SCALE 1:10

RELEASED
00 09 26

D2577-7 FLAT PATTERN



D2577-7 LONGITUDINAL BEND



NO. 30469
WORK ORDER
WITHOUT NOTICE
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY

D2577-7 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570
SERIES STEEL 0.063 THICK

FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

THIS DOCUMENT IS PRIVATE AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


Copyright © 1996 by DART AEROSPACE LTD




DESIGN #	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D2577	REV. E SHEET 5 OF 5
DATE 00.09.22		TITLE WEARSHOE	SCALE 1:10

RELEASED
00.09.26


DETAIL B (SCALE 1:1)



DETAIL C (SCALE 1:1)



SECTION D-D (SCALE 1:1)



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30469

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order:	30469
Description: <i>Wearplate</i>		Part Number:	D2571-7
Inspection Dwg: D2571 Rev: E		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Inspection Sheet Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
A 28.50	+/-0.030	28.50	✓		measuring tape	
B 23.500	+/-0.010	23.500	✓		measuring tape	
C 2.43	+/-0.030	2.431	✓		vern	
D 3.182	+/-0.010	3.188	✓		vern	
E 2.50	+/-0.030	2.506	✓		Height Gauge	
F 2.50	+/-0.030	2.508	✓		Height Gauge	
G 5.875	+/-0.010	5.880	✓		vern	
H 0.220x0.300	+/-0.010	0.220x0.300	✓		vern	
I						
J						
K						
L						
M						
N						
O						
P						
Q						
R						
S						
T						
U						
V						
W						
X						
Y						

Measured by: <i>mm mm</i>	Audited by: <i>[Signature]</i>	Prototype Approval:	N/A
Date: <i>07 04 23</i>	Date: <i>07 04 24</i>	Date:	N/A
Rev	Date	Change	Revised by KJ/RF
		New Issue	Approved